



INNOVATIVE IDEAS IN AIR CONDITIONING



# HYPER

## Main Features

- R454B environmentally friendly refrigerant
- A2L sensor factory installed
- EnergyStar for all models
- Low ambient operation to -30°C (-22°F)
- Qualifies for multiple rebate programs
- WIFI app included
- Up to 6 zones (select models)
- Mix and match with 8 indoor options
- Auto defrosting
- 24V capable (conversion kit sold separately)

UP TO **25 SEER2**  
EFFICIENCY

**M4+**



Eligible for  
local rebates




COLD  
CLIMATE

INVERTER

R454B



AIR CERTIFIED  
www.aircertified.com





UP TO 6 ZONES - MIX AND MATCH

| Type (Multi Zone)                   |                                          |             | Up to 3 indoor units  |                 | Up to 4 indoor units  |                   | Up to 5 indoor units  |                   | Up to 6 indoor units  |                   | Up to 6 indoor units  |                   |  |
|-------------------------------------|------------------------------------------|-------------|-----------------------|-----------------|-----------------------|-------------------|-----------------------|-------------------|-----------------------|-------------------|-----------------------|-------------------|--|
| Model #                             |                                          |             | MOM18H2BH3A           |                 | MOM27H2BH4A           |                   | MOM36H2BH5A           |                   | MOM48H2BH6A           |                   | MOM60H2BH6A           |                   |  |
| AHRI# (Non-Ducted)                  |                                          |             | 215725516             |                 | 215725519             |                   | 215725522             |                   | 215725525             |                   | 215835702             |                   |  |
| AHRI# (Ducted)                      |                                          |             | 215725517             |                 | 215725520             |                   | 215725523             |                   | 215725526             |                   | 215835703             |                   |  |
| AHRI# (Mixed Ducted and Non-Ducted) |                                          |             | 215725518             |                 | 215725521             |                   | 215725524             |                   | 215725527             |                   | 215835704             |                   |  |
| Energy Star                         |                                          |             | Yes                   |                 | Yes                   |                   | Yes                   |                   | Yes                   |                   | Yes                   |                   |  |
| Gas                                 |                                          |             | R454B                 |                 | R454B                 |                   | R454B                 |                   | R454B                 |                   | R454B                 |                   |  |
| Voltage, Frequency, Phase           |                                          | V-Hz-Ph     | 208/230 - 60 - 1      |                 | 208/230 - 60 - 1      |                   | 208/230 - 60 - 1      |                   | 208/230 - 60 - 1      |                   | 208/230 - 60 - 1      |                   |  |
| Voltage Range                       |                                          | V           | 187~253               |                 | 187~253               |                   | 187~253               |                   | 187~253               |                   | 187~253               |                   |  |
| Cooling                             | Rated Capacity at 35°C (95°F)            |             | Btu/h                 | 19000           |                       | 27000             |                       | 36000             |                       | 47000             |                       | 51000             |  |
|                                     | Cooling Capacity Range(MIN-MAX)          |             | Btu/h                 | 5400~28000      |                       | 7200~37000        |                       | 9000~42000        |                       | 12000~57000       |                       | 19000~60000       |  |
|                                     | Capacity at 43°C (109°F)                 |             | Btu/h                 | 24000           |                       | 30400             |                       | 33000             |                       | 45000             |                       | 44000             |  |
|                                     | Power Input                              |             | W                     | 1460            |                       | 2333              |                       | 3000              |                       | 4020              |                       | 4530              |  |
|                                     | Current Range                            |             | A                     | 1265            |                       | 2125              |                       | 2750              |                       | 3917              |                       | 4250              |  |
|                                     | EER2 at 35°C (95°F)                      |             | Btu/h/W               | 13.00           |                       | 12.00             |                       | 12                |                       | 11.7              |                       | 11.7              |  |
|                                     | SEER2                                    |             | Btu/h/W               | 15              |                       | 12.5              |                       | 13                |                       | 12                |                       | 12                |  |
| Working Temperature Range           |                                          | °C (°F)     | 25                    |                 | 23                    |                   | 23                    |                   | 23                    |                   | 22.2                  |                   |  |
| Heating                             | Rated Capacity at 8°C (47°F)             |             | Btu/h                 | 20000           |                       | 27000             |                       | 36000             |                       | 49000             |                       | 55000             |  |
|                                     | Heating Capacity Range(MIN-MAX)          |             | Btu/h                 | 5700~25400      |                       | 8400~38500        |                       | 10000~45000       |                       | 13000~60000       |                       | 20000~61000       |  |
|                                     | Power Input                              |             | W                     | 1465            |                       | 2082              |                       | 2638              |                       | 3861              |                       | 4605              |  |
|                                     | Current Range                            |             | A                     | 3.0 ~10.5       |                       | 4.0 ~18.0         |                       | 5.2 ~16.0         |                       | 7.0 ~22.0         |                       | 10 ~23            |  |
|                                     | COP2 at 8°C (47°F)                       |             | W/W                   | 4.00            |                       | 3.60              |                       | 3.8               |                       | 3.52              |                       | 3.7               |  |
|                                     | COP @ -15°C (5°F)                        |             | W/W                   | 2.00            |                       | 3.8               |                       | 4                 |                       | 3.7               |                       | 3.5               |  |
|                                     | HSPF2(IV)                                |             | Btu/h/W               | 10              |                       | 9.50              |                       | 10.4              |                       | 11                |                       | 10.5              |  |
|                                     | HSPF2(V)                                 |             | Btu/h/W               | 10.4            |                       | 10.5              |                       | 10.7              |                       | 11                |                       | 10.5              |  |
|                                     | Rated Capacity Heating at -3°C (17°F)    |             | Btu/h                 | 22000           |                       | 27000             |                       | 34000             |                       | 46000             |                       | 52000             |  |
|                                     | Maximum Heating Capacity @ -15°C (5°F)   |             | Btu/h                 | 18000           |                       | 27000             |                       | 38000             |                       | 48000             |                       | 48000             |  |
|                                     | Maximum Heating Capacity @ -25°C (-13°F) |             | Btu/h                 | 13600           |                       | 16000             |                       | 21000             |                       | 34000             |                       | 26000             |  |
|                                     | Working Temperature Range                |             | °C (°F)               | -30~24 (-22~75) |                       |                   |                       |                   |                       |                   |                       |                   |  |
| Max. td Fuse/Breaker                |                                          | A           | 20                    |                 | 35                    |                   | 40                    |                   | 40                    |                   | 40                    |                   |  |
| Power Source Cable Size             |                                          | No. x AWG   | 3x14AWG               |                 | 3x12AWG               |                   | 3x10AWG               |                   | 3x10AWG               |                   | 3x10AWG               |                   |  |
| Communication Cable Size            |                                          | No. x AWG   | 4x14AWG               |                 | 4x14AWG               |                   | 4x14AWG               |                   | 4x14AWG               |                   | 4x14AWG               |                   |  |
| Airflow Outdoor Unit                |                                          | CFM         | 2131                  |                 | 2148                  |                   | 3037                  |                   | 4503                  |                   | 4503                  |                   |  |
| Noise Level                         |                                          | dB(A) (Max) | 61.5                  |                 | 61                    |                   | 65                    |                   | 65                    |                   | 65                    |                   |  |
| Compressor                          | Model                                    |             | KTM240D46UKT2         |                 | KTF310D43UMT          |                   | EKPQ420D1UMUA         |                   | EKPQ440D1UMUB         |                   | EKPQ440D1UMUB         |                   |  |
|                                     | Type                                     |             | ROTARY                |                 | ROTARY                |                   | TWIN-ROTARY           |                   | TWIN-ROTARY           |                   | TWIN-ROTARY           |                   |  |
| Net Dimension (WxDxH)               |                                          | inch        | 37.24 x 16.14 x 31.89 |                 | 37.24 x 16.14 x 31.89 |                   | 38.58 x 16.34 x 38.39 |                   | 37.48 x 16.34 x 52.48 |                   | 37.48 x 16.34 x 52.48 |                   |  |
| Net Weight                          |                                          | lbs         | 137.4                 |                 | 168.5                 |                   | 212                   |                   | 246.5                 |                   | 246.5                 |                   |  |
| Piping                              | Diameter(Liquid)                         |             | inch                  | (3x1/4)         |                       | (4x1/4)           |                       | (5x1/4)           |                       | (6x1/4)           |                       | (6x1/4)           |  |
|                                     | Diameter(Gas)                            |             | inch                  | (3x3/8)         |                       | (3x3/8) + (1x1/2) |                       | (3x3/8) + (2x1/2) |                       | (4x3/8) + (2x1/2) |                       | (4x3/8) + (2x1/2) |  |
|                                     | Max Length(Each)                         |             | ft                    | 98.4            |                       | 114.8             |                       | 114.8             |                       | 114.8             |                       | 114.8             |  |
|                                     | Max Length( Total)                       |             | ft                    | 196.8           |                       | 262.4             |                       | 262.4             |                       | 262.4             |                       | 262.4             |  |
|                                     | Max Height                               |             | ft                    | 49.2            |                       | 49.2              |                       | 49.2              |                       | 49.2              |                       | 49.2              |  |
| Pre-Charged refrigerant             |                                          | oz          | 78.31                 |                 | 120.63                |                   | 134.04                |                   | 151.68                |                   | 151.68                |                   |  |
|                                     |                                          | Ft          | 24.6                  |                 | 24.6                  |                   | 24.6                  |                   | 24.6                  |                   | 24.6                  |                   |  |
| Additional refrigerant              |                                          | oz/ft       | 0.16                  |                 | 0.16                  |                   | 0.16                  |                   | 0.16                  |                   | 0.16                  |                   |  |



## EZ-Highwall

- The E-Box and PCB are positioned at the front of the unit, for effortless access.
- The blower wheel can be easily removed, allowing for straightforward disassembly and maintenance.
- A larger air inlet and outlet enhance airflow efficiency.
- Vertical and horizontal louvers feature an Auto-Swing function for optimal air distribution.
- The magnetic filter on top is designed for quick and easy removal.
- Includes a Self-Cleaning feature (available on Single-Zone systems only).
- Equipped with Follow Me mode for personalized comfort.
- Eco Mode functionality (specific to Single-Zone systems).
- 8°C (46°F) Freeze Protection ensures reliable performance in cold conditions.

| Model #                      |        | MHW09H2BHRB       | MHW12H2BHRB       | MHW18H2BHRB       | MHW24H2BHRB       |
|------------------------------|--------|-------------------|-------------------|-------------------|-------------------|
| Cooling/Heating capacity     | Btu/h  | 9000 / 10000      | 12000 / 12000     | 18000 / 18000     | 24000 / 25000     |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P |
| Air flow (H/M/L)             | CFM    | 325 / 230 / 180   | 325 / 230 / 180   | 500 / 360 / 295   | 625 / 415 / 320   |
| Noise Level (Sound Pressure) | dB(A)  | 43 / 31 / 18      | 43 / 31 / 18      | 38 / 33 / 28      | 43 / 39 / 21      |
| Net Dimension (WxHxD)        | inch   | 33 ½ x 9 ¼ x 11 ¾ | 33 ½ x 9 ¼ x 11 ¾ | 40 x 9 ¾ x 12 ½   | 47 x 11 ¼ x 14 ¾  |
| Net Weight                   | lbs    | 23                | 23                | 27                | 44                |

- Activated Carbon Filter for enhanced air purification
- Anti-Corrosive GoldFin Coating for durability
- Omni-Directional Airflow for comprehensive circulation
- Sleep Mode for nighttime comfort
- Turbo Mode for rapid cooling or heating
- Adjustable Fan Speeds for customized airflow
- Detection of Refrigerant Leaks for system protection
- Self-Diagnosis feature for quick troubleshooting
- Fresh Air Intake to improve indoor air quality



| Body Model #                 |        | MCS09H2BHRB       | MCS12H2BHRB       | MCS18H2BHRB       | MCS24H2BHRB       |
|------------------------------|--------|-------------------|-------------------|-------------------|-------------------|
| Cooling/Heating capacity     | Btu/h  | 9000 / 10000      | 12000 / 12000     | 18000 / 18000     | 24000 / 25000     |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P |
| Air flow (H/M/L)             | CFM    | 315 / 265 / 185   | 370 / 310 / 195   | 390 / 320 / 195   | 710 / 635 / 550   |
| Noise Level (Sound Pressure) | dB(A)  | 40 / 37 / 26      | 42 / 38 / 26      | 44 / 41 / 28      | 45 / 43 / 33      |
| Net Dimension (WxDxH)        | inch   | 22 ½ x 22 ½ x 9 ¾ | 22 ½ x 22 ½ x 9 ¾ | 22 ½ x 22 ½ x 9 ¾ | 32 ¾ x 32 ¾ x 8   |
| Net Weight                   | lbs    | 35                | 35                | 35                | 47                |



INNOVATIVE IDEAS IN AIR CONDITIONING

- Intelligent airflow: three-speed fan motor allows static air pressure to be adjusted automatically or manually for optimal performance.
- Anti-cold air feature: prevents cold air from blowing into the room during startup by delaying fan operation until the coil is warm.
- Quick cooling/heating function: runs at full capacity to quickly achieve the desired temperature when there's a difference of over 10 degrees from the room temperature.
- Aluminum coil: offers improved corrosion resistance compared to copper coils.
- Optional auxiliary heater: backup heating available in 5kw, 10kw, 15kw, and 20kw models, sold separately.
- Auto-restart feature: automatically resumes operation after a power outage.
- Refrigerant leak alert: displays error code "ec" to protect the compressor from potential damage caused by refrigerant leaks.
- Wired controller: compatible with most 24v wired thermostats for seamless integration.
- True multi-position air handler: designed for flexible installation in horizontal or vertical (upward or downward) orientations to maximize space efficiency.



| Model #                      |        | MAH18H2MHW            | MAH24H2MHW            | MAH30H2MHW            | MAH36H2MHW            |
|------------------------------|--------|-----------------------|-----------------------|-----------------------|-----------------------|
| Cooling/Heating capacity     | Btu/h  | 18000 / 18000         | 24000 / 25000         | 30000 / 30000         | 36000 / 37000         |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P     | 208-230V~,60Hz,1P     | 208-230V~,60Hz,1P     | 208-230V~,60Hz,1P     |
| Air flow (H/M/L)             | CFM    | 618/530/489           | 824/695/630           | 989/806/712           | 1189/971/865          |
| Noise Level (Sound Pressure) | dB(A)  | 42/40/33              | 44/42/29              | 44/41/26              | 48/45/31              |
| Net Dimension (WxDxH)        | inch   | 21.02 x 17.52 x 45.00 | 21.02 x 17.52 x 45.00 | 21.02 x 21.02 x 49.02 | 21.02 x 21.02 x 49.02 |
| Net Weight                   | lbs    | 105                   | 105                   | 128                   | 128                   |

**M4MULTI**

| Model Name                   |        | MDH09H2MHW              | MDH12H2MHW              | MDH18H2MHW              | MDH24H2MHW              |
|------------------------------|--------|-------------------------|-------------------------|-------------------------|-------------------------|
| Cooling/Heating capacity     | Btu/h  | 9000 / 10000            | 12000 / 12000           | 18000 / 18000           | 24000 / 25000           |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P       | 208-230V~,60Hz,1P       | 208-230V~,60Hz,1P       | 208-230V~,60Hz,1P       |
| Indoor Static Pressure Range | in.w.g | 0-0.8                   | 0-0.8                   | 0-0.8                   | 0-0.8                   |
| Air flow (H/M/L)             | CFM    | 290 / 230 / 200         | 350 / 260 / 220         | 620 / 530 / 445         | 710 / 620 / 500         |
| Noise Level (Sound Pressure) | dB(A)  | 31 / 30 / 29            | 33 / 32 / 31            | 37 / 35 / 33            | 40 / 38 / 35            |
| Net Dimension (WxDxH)        | inch   | 27 1/2 x 29 1/2 x 9 1/4 | 27 1/2 x 29 1/2 x 9 1/4 | 39 1/2 x 29 1/2 x 9 1/4 | 39 1/2 x 29 1/2 x 9 1/4 |
| Net Weight                   | lbs    | 64                      | 64                      | 80                      | 80                      |

**HIGH STATIC FAN COIL**



• Wired Controller Included

| Model Name                   |        | MDL09H2MHW        | MDL12H2MHW        | MDL18H2MHW              |
|------------------------------|--------|-------------------|-------------------|-------------------------|
| Cooling/Heating capacity     | Btu/h  | 9000 / 10000      | 11500 / 12000     | 17000 / 20000           |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P       |
| Indoor Static Pressure Range | in.w.g | 0-0.4             | 0-0.4             | 0-0.4                   |
| Air flow (TurboH/M/L)        | CFM    | 324/265/206/147   | 400/323/265/177   | 600/559/500/441         |
| Noise Level (Sound Pressure) | dB(A)  | 34/33/29          | 34/33/29          | 41/39/38                |
| Net Dimension (WxDxH)        | inch   | 27 1/2 x 20 x 8   | 27 1/2 x 20 x 8   | 34 1/4 x 26 1/2 x 8 1/4 |
| Net Weight                   | lbs    | 40                | 40                | 55                      |


**LOW PROFILE FAN COIL**

# ONE-WAY CASSETTE




## 2-way Installation

Our hangers with optimized anti-cutting design are easy to grab and lift up, preventing hands from scratching by the sharp edge.




## Push-in Installation

An unique & exclusive Push-In Case is designed for easy installation options. Installers can plug in the cassette body unit between the joist and fix it on the beams with screws



| Body Model #                 |        | MC009H2BHRB       | MC018H2BHRB       |
|------------------------------|--------|-------------------|-------------------|
| Cooling/Heating capacity     | Btu/h  | 9000 / 11000      | 18000 / 18000     |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P |
| Air flow (H/M/L)             | CFM    | 315 / 285 / 250   | 355 / 300 / 210   |
| Noise Level (Sound Pressure) | dB(A)  | 38 / 34 / 24      | 44 / 41 / 29      |
| Net Dimension (WxDxH)        | inch   | 50 ¼ x 13 ¼ x 9   | 50 ¼ x 13 ¼ x 9   |
| Net Weight                   | lbs    | 45                | 45                |

**NOTE:** MC009H2BHRB can be dip switched down to a 6K  
MC018H2BHRB can be dip switched down to a 12K



## MLFP (Motorized Lowering Filter Panel)

Eliminate the need for manual access with the Motorized Elevation Panel, which autonomously adjusts its position.

By activating the Elevation Panel function via the remote controller or smart control system, the panel descends automatically, allowing effortless access to the air filter for maintenance or replacement.

# CONSOLE

| Model #                      |        | MCW12H2BHRB       | MCW16H2BHRB       |
|------------------------------|--------|-------------------|-------------------|
| Cooling/Heating capacity     | Btu/h  | 11500 / 12000     | 17000 / 16000     |
| Power                        | V/Hz/f | 208-230V~,60Hz,1P | 208-230V~,60Hz,1P |
| Air flow (H/M/L)             | CFM    | 380 / 325 / 190   | 445 / 385 / 325   |
| Noise Level (Sound Pressure) | dB(A)  | 39 / 35 / 30      | 42 / 39 / 29      |
| Net Dimension (WxDxH)        | inch   | 31 ½ x 8 x 24 ½   | 31 ½ x 8 x 24 ½   |
| Net Weight                   | lbs    | 33                | 33                |



# MULTI INDOOR UNITS COMBINATIONS

| MULTI INDOOR UNITS COMBINATION RULE |             |                                |           |             |             |               |                |
|-------------------------------------|-------------|--------------------------------|-----------|-------------|-------------|---------------|----------------|
| Outdoor Unit                        |             | Optional Combination(Only run) |           |             |             |               |                |
|                                     |             | One unit                       | Two units | Three units | Four units  | Five units    | Six units      |
| 1drive 3                            | MOM18H2BH3A | 12                             | 6+6       | 6+6+6       |             |               |                |
|                                     |             | 18                             | 6+9       | 6+6+9       |             |               |                |
|                                     |             |                                | 6+12      | 6+9+9       |             |               |                |
|                                     |             |                                | 6+18      |             |             |               |                |
|                                     |             |                                | 9+9       |             |             |               |                |
|                                     |             |                                | 9+12      |             |             |               |                |
|                                     |             |                                | 12+12     |             |             |               |                |
| 1 drive 4                           | MOM27H2BH4A | 18                             | 6+6       | 6+6+6       | 6+6+6+6     |               |                |
|                                     |             | 24                             | 6+9       | 6+6+9       | 6+6+6+9     |               |                |
|                                     |             |                                | 6+12      | 6+6+12      | 6+6+6+12    |               |                |
|                                     |             |                                | 6+18      | 6+6+18      | 6+6+9+9     |               |                |
|                                     |             |                                | 6+24      | 6+6+24      | 6+6+9+12    |               |                |
|                                     |             |                                | 9+9       | 6+9+9       | 6+9+9+9     |               |                |
|                                     |             |                                | 9+12      | 6+9+12      | 6+9+9+12    |               |                |
|                                     |             |                                | 9+18      | 6+9+18      | 9+9+9+9     |               |                |
|                                     |             |                                | 9+24      | 6+12+12     |             |               |                |
|                                     |             |                                | 12+12     | 6+12+18     |             |               |                |
|                                     |             |                                | 12+18     | 9+9+9       |             |               |                |
|                                     |             |                                | 12+24     | 9+9+12      |             |               |                |
|                                     |             |                                | 18+18     | 9+9+18      |             |               |                |
|                                     |             |                                |           | 9+12+12     |             |               |                |
|                                     |             |                                |           | 12+12+12    |             |               |                |
| 1 drive 5                           | MOM36H2BH5A | 24                             | 6+18      | 6+6+6       | 6+6+6+6     | 6+6+6+6+6     |                |
|                                     |             | 30                             | 6+24      | 6+6+9       | 6+6+6+9     | 6+6+6+6+9     |                |
|                                     |             |                                | 9+9       | 6+6+12      | 6+6+6+12    | 6+6+6+6+12    |                |
|                                     |             |                                | 9+12      | 6+6+18      | 6+6+6+18    | 6+6+6+6+18    |                |
|                                     |             |                                | 9+18      | 6+6+24      | 6+6+6+24    | 6+6+6+9+9     |                |
|                                     |             |                                | 9+24      | 6+9+9       | 6+6+9+9     | 6+6+6+9+12    |                |
|                                     |             |                                | 12+12     | 6+9+12      | 6+6+9+12    | 6+6+6+9+18    |                |
|                                     |             |                                | 12+18     | 6+9+18      | 6+6+9+18    | 6+6+9+9+9     |                |
|                                     |             |                                | 12+24     | 6+9+24      | 6+6+9+24    | 6+6+9+9+12    |                |
|                                     |             |                                | 18+18     | 6+12+12     | 6+6+12+12   | 6+6+9+9+18    |                |
|                                     |             |                                |           | 6+12+18     | 6+6+12+18   | 6+9+9+9+9     |                |
|                                     |             |                                |           | 6+12+24     | 6+6+12+24   | 6+9+9+9+12    |                |
|                                     |             |                                |           | 6+18+18     | 6+6+18+18   | 6+9+9+9+18    |                |
|                                     |             |                                |           | 9+9+9       | 6+9+9+9     | 9+9+9+9+9     |                |
|                                     |             |                                |           | 9+9+12      | 6+9+9+12    | 9+9+9+9+12    |                |
|                                     |             |                                |           | 9+9+18      | 6+9+9+18    |               |                |
|                                     |             |                                |           | 9+9+24      | 6+9+9+24    |               |                |
|                                     |             |                                |           | 9+12+12     | 6+9+12+12   |               |                |
|                                     |             |                                |           | 9+12+18     | 6+9+12+18   |               |                |
|                                     |             |                                |           | 9+12+24     | 6+12+12+12  |               |                |
|                                     |             |                                |           | 9+18+18     | 6+12+12+18  |               |                |
|                                     |             |                                |           | 12+12+12    | 9+9+9+9     |               |                |
|                                     |             |                                |           | 12+12+18    | 9+9+9+12    |               |                |
|                                     |             |                                |           | 12+12+24    | 9+9+9+18    |               |                |
|                                     |             |                                |           | 12+12+24    | 9+9+9+18    |               |                |
|                                     |             |                                |           | 12+18+18    | 9+9+12+12   |               |                |
|                                     |             |                                |           |             | 9+9+12+18   |               |                |
|                                     |             |                                |           |             | 9+12+12+12  |               |                |
| 1 drive 6                           | MOM48H2BH6A | 30                             | 6+24      | 6+6+18      | 6+6+6+6     | 6+6+6+6+6     | 6+6+6+6+6+6    |
|                                     |             | 36                             | 6+30      | 6+6+24      | 6+6+6+9     | 6+6+6+6+9     | 6+6+6+6+6+9    |
|                                     |             |                                | 6+36      | 6+6+30      | 6+6+6+18    | 6+6+6+6+12    | 6+6+6+6+6+12   |
|                                     |             |                                | 9+18      | 6+6+36      | 6+6+6+24    | 6+6+6+6+18    | 6+6+6+6+6+18   |
|                                     |             |                                | 9+24      | 6+9+12      | 6+6+9+9     | 6+6+6+6+24    | 6+6+6+6+6+9    |
|                                     |             |                                | 9+30      | 6+9+18      | 6+6+9+12    | 6+6+6+9+9     | 6+6+6+6+9+12   |
|                                     |             |                                | 9+36      | 6+9+24      | 6+6+9+18    | 6+6+6+9+12    | 6+6+6+6+9+18   |
|                                     |             |                                | 12+12     | 6+9+30      | 6+6+9+24    | 6+6+6+9+18    | 6+6+6+6+12+12  |
|                                     |             |                                | 12+18     | 6+9+36      | 6+6+12+12   | 6+6+6+9+24    | 6+6+6+6+12+18  |
|                                     |             |                                | 12+24     | 6+12+18     | 6+6+12+18   | 6+6+6+12+12   | 6+6+6+9+9+9    |
|                                     |             |                                | 12+30     | 6+12+24     | 6+6+12+24   | 6+6+6+12+18   | 6+6+6+9+9+12   |
|                                     |             |                                | 12+36     | 6+12+30     | 6+6+18+18   | 6+6+6+12+24   | 6+6+6+9+9+18   |
|                                     |             |                                | 18+18     | 6+12+36     | 6+6+18+24   | 6+6+6+18+18   | 6+6+6+9+12+12  |
|                                     |             |                                | 18+24     | 6+18+18     | 6+9+9+9     | 6+6+6+18+24   | 6+6+6+9+12+18  |
|                                     |             |                                | 18+30     | 6+18+24     | 6+9+9+12    | 6+6+6+18+24   | 6+6+6+12+12+12 |
|                                     |             |                                | 18+36     | 6+18+30     | 6+9+9+18    | 6+6+9+9+12    | 6+6+6+12+12+18 |
|                                     |             |                                | 24+24     | 6+18+36     | 6+9+9+24    | 6+6+9+9+18    | 6+6+9+9+9+9    |
|                                     |             |                                | 24+30     | 9+9+9       | 6+9+12+12   | 6+6+9+9+24    | 6+6+9+9+9+12   |
|                                     |             |                                | 24+36     | 9+9+12      | 6+9+12+18   | 6+6+9+12+12   | 6+6+9+9+9+18   |
|                                     |             |                                |           | 9+9+18      | 6+9+12+24   | 6+6+9+12+18   | 6+6+9+9+12+12  |
|                                     |             |                                |           | 9+9+24      | 6+9+18+18   | 6+6+9+12+24   | 6+6+9+9+12+18  |
|                                     |             |                                |           | 9+9+30      | 6+9+18+24   | 6+6+9+18+18   | 6+6+9+12+12+12 |
|                                     |             |                                |           | 9+9+36      | 6+12+12+12  | 6+6+9+18+24   | 6+6+9+12+12+18 |
|                                     |             |                                |           | 9+12+12     | 6+12+12+18  | 6+6+12+12+12  | 6+9+9+9+9+9    |
|                                     |             |                                |           | 9+12+18     | 6+12+12+24  | 6+6+12+12+18  | 6+9+9+9+9+12   |
|                                     |             |                                |           | 9+12+24     | 6+12+18+18  | 6+6+12+12+24  | 6+9+9+9+9+18   |
|                                     |             |                                |           | 9+12+30     | 6+12+18+24  | 6+6+12+18+18  | 6+9+9+9+12+12  |
|                                     |             |                                |           | 9+12+36     | 9+9+9+9     | 6+9+9+9+9     | 6+9+9+9+12+18  |
|                                     |             |                                |           | 9+18+18     | 9+9+9+12    | 6+9+9+9+12    | 6+9+9+12+12+12 |
|                                     |             |                                |           | 9+18+24     | 9+9+9+18    | 6+9+9+9+18    | 9+9+9+9+9+9    |
|                                     |             |                                |           | 9+18+30     | 9+9+9+24    | 6+9+9+9+24    | 9+9+9+9+9+12   |
|                                     |             |                                |           | 9+18+36     | 9+9+12+12   | 6+9+9+12+12   | 9+9+9+9+9+18   |
|                                     |             |                                |           | 12+12+12    | 9+9+12+18   | 6+9+9+12+18   | 9+9+9+9+12+12  |
|                                     |             |                                |           | 12+12+18    | 9+9+12+24   | 6+9+9+12+24   | 9+9+9+9+12+18  |
|                                     |             |                                |           | 12+12+24    | 9+9+18+18   | 6+9+9+18+18   |                |
|                                     |             |                                |           | 12+12+30    | 9+9+18+24   | 6+9+12+12+12  |                |
|                                     |             |                                |           | 12+12+36    | 9+12+12+12  | 6+9+12+12+18  |                |
|                                     |             |                                |           | 12+18+18    | 9+12+12+18  | 6+9+12+12+24  |                |
|                                     |             |                                |           | 12+18+24    | 9+12+12+24  | 6+9+12+18+18  |                |
|                                     |             |                                |           | 12+18+30    | 9+12+18+18  | 6+12+12+12+12 |                |
|                                     |             |                                |           | 18+18+18    | 9+12+18+24  | 6+12+12+12+18 |                |
|                                     |             |                                |           |             | 9+18+18+18  | 9+9+9+9+9     |                |
|                                     |             |                                |           |             | 12+12+12+12 | 9+9+9+9+12    |                |
|                                     |             |                                |           |             | 12+12+12+18 | 9+9+9+9+18    |                |
|                                     |             |                                |           |             | 12+12+12+24 | 9+9+9+9+24    |                |
|                                     |             |                                |           |             | 12+12+18+18 | 9+9+9+12+12   |                |
|                                     |             |                                |           |             |             | 9+9+9+12+18   |                |
|                                     |             |                                |           |             |             | 9+9+9+12+24   |                |
|                                     |             |                                |           |             |             | 9+9+9+18+18   |                |
|                                     |             |                                |           |             |             | 9+9+12+12+12  |                |

|           |             |    |       |          |             |                |                 |
|-----------|-------------|----|-------|----------|-------------|----------------|-----------------|
| 1 drive 6 | MOM48H2BH6A |    |       |          |             | 9+9+12+12+18   |                 |
|           |             |    |       |          |             | 9+12+12+12+12  |                 |
|           |             |    |       |          |             | 9+12+12+12+18  |                 |
|           |             |    |       |          |             | 12+12+12+12+12 |                 |
|           |             | 30 | 6+24  | 6+6+18   | 6+6+6+6     | 6+6+6+6+6      | 6+6+6+6+6+6     |
|           |             | 36 | 6+30  | 6+6+24   | 6+6+6+9     | 6+6+6+6+9      | 6+6+6+6+6+9     |
|           |             |    | 6+36  | 6+6+30   | 6+6+6+12    | 6+6+6+6+12     | 6+6+6+6+6+12    |
|           |             |    | 9+18  | 6+6+36   | 6+6+6+18    | 6+6+6+6+18     | 6+6+6+6+6+18    |
|           |             |    | 9+24  | 6+9+9    | 6+6+6+24    | 6+6+6+6+24     | 6+6+6+6+6+24    |
|           |             |    | 9+30  | 6+9+12   | 6+6+9+9     | 6+6+6+9+9      | 6+6+6+6+9+9     |
|           |             |    | 9+36  | 6+9+18   | 6+6+9+12    | 6+6+6+9+12     | 6+6+6+6+9+12    |
|           |             |    | 12+12 | 6+9+24   | 6+6+9+18    | 6+6+6+9+18     | 6+6+6+6+9+18    |
|           |             |    | 12+18 | 6+9+30   | 6+6+9+24    | 6+6+6+9+24     | 6+6+6+6+9+24    |
|           |             |    | 12+24 | 6+9+36   | 6+6+12+12   | 6+6+6+12+12    | 6+6+6+6+12+12   |
|           |             |    | 12+30 | 6+12+12  | 6+6+12+18   | 6+6+6+12+18    | 6+6+6+6+12+18   |
|           |             |    | 12+36 | 6+12+18  | 6+6+12+24   | 6+6+6+12+24    | 6+6+6+6+12+24   |
|           |             |    | 18+18 | 6+12+24  | 6+6+18+18   | 6+6+6+18+18    | 6+6+6+9+9+9     |
|           |             |    | 18+24 | 6+12+30  | 6+6+18+24   | 6+6+6+18+24    | 6+6+6+9+9+12    |
|           |             |    | 18+30 | 6+12+36  | 6+9+9+9     | 6+6+9+9+9      | 6+6+6+9+9+18    |
|           |             |    | 18+36 | 6+18+18  | 6+9+9+12    | 6+6+9+9+12     | 6+6+6+9+9+24    |
|           |             |    | 24+24 | 6+18+24  | 6+9+9+18    | 6+6+9+9+18     | 6+6+6+9+12+12   |
|           |             |    | 24+30 | 6+18+30  | 6+9+9+24    | 6+6+9+9+24     | 6+6+6+9+12+18   |
|           |             |    | 24+36 | 6+18+36  | 6+9+12+12   | 6+6+9+12+12    | 6+6+6+9+12+24   |
|           |             |    |       | 9+9+9    | 6+9+12+18   | 6+6+9+12+18    | 6+6+6+12+12+12  |
|           |             |    |       | 9+9+12   | 6+9+12+24   | 6+6+9+12+24    | 6+6+6+12+12+18  |
|           |             |    |       | 9+9+18   | 6+9+18+18   | 6+6+9+18+18    | 6+6+6+12+12+24  |
|           |             |    |       | 9+9+24   | 6+9+18+24   | 6+6+9+18+24    | 6+6+9+9+9+9     |
|           |             |    |       | 9+9+30   | 6+12+12+12  | 6+6+12+12+12   | 6+6+9+9+9+12    |
|           |             |    |       | 9+9+36   | 6+12+12+18  | 6+6+12+12+18   | 6+6+9+9+9+18    |
|           |             |    |       | 9+12+12  | 6+12+12+24  | 6+6+12+12+24   | 6+6+9+9+9+24    |
|           |             |    |       | 9+12+18  | 6+12+18+18  | 6+6+12+18+18   | 6+6+9+9+12+12   |
|           |             |    |       | 9+12+24  | 6+12+18+24  | 6+6+12+18+24   | 6+6+9+9+12+18   |
|           |             |    |       | 9+12+30  | 6+18+18+18  | 6+6+18+18+18   | 6+6+9+9+12+24   |
|           |             |    |       | 9+12+36  | 6+18+18+24  | 6+6+18+18+24   | 6+6+9+12+12+12  |
|           |             |    |       | 9+18+18  | 9+9+9+9     | 6+9+9+9+9      | 6+6+9+12+12+18  |
|           |             |    |       | 9+18+24  | 9+9+9+12    | 6+9+9+9+12     | 6+6+9+12+12+24  |
|           |             |    |       | 9+18+30  | 9+9+9+18    | 6+9+9+9+18     | 6+6+12+12+12+12 |
|           |             |    |       | 9+18+36  | 9+9+9+24    | 6+9+9+9+24     | 6+6+12+12+12+18 |
|           |             |    |       | 12+12+12 | 9+9+12+12   | 6+9+9+12+12    | 6+6+12+12+12+24 |
|           |             |    |       | 12+12+18 | 9+9+12+18   | 6+9+9+12+18    | 6+9+9+9+9+9     |
|           |             |    |       | 12+12+24 | 9+9+12+24   | 6+9+9+12+24    | 6+9+9+9+9+12    |
|           |             |    |       | 12+12+30 | 9+9+18+18   | 6+9+9+18+18    | 6+9+9+9+9+18    |
|           |             |    |       | 12+12+36 | 9+9+18+24   | 6+9+9+18+24    | 6+9+9+9+9+24    |
|           |             |    |       | 12+18+18 | 9+12+12+12  | 6+9+12+12+12   | 6+9+9+9+12+12   |
|           |             |    |       | 12+18+24 | 9+12+12+18  | 6+9+12+12+18   | 6+9+9+9+12+18   |
|           |             |    |       | 12+18+30 | 9+12+12+24  | 6+9+12+12+24   | 6+9+9+9+12+24   |
|           |             |    |       | 12+18+36 | 9+12+18+18  | 6+9+12+18+18   | 6+9+9+9+18+18   |
|           |             |    |       | 18+18+18 | 9+12+18+24  | 6+9+12+18+24   | 6+9+9+12+12+12  |
|           |             |    |       |          | 9+18+18+18  | 6+9+18+18+18   | 6+9+9+12+12+18  |
|           |             |    |       |          | 12+12+12+12 | 6+12+12+12+12  | 6+9+9+12+12+24  |
|           |             |    |       |          | 12+12+12+18 | 6+12+12+12+18  | 6+9+12+12+12+12 |
|           |             |    |       |          | 12+12+12+24 | 6+12+12+12+24  | 6+              |



*Eligible for  
local rebates*



**DETTSON.COM**

**M4+**



**innovair<sup>®</sup>**

INNOVATIVE IDEAS IN AIR CONDITIONING

DISTRIBUTED BY: